




O-Ring USA Standard Sizes




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
1	0.040	0.029	0.109	1	1.020	0.740	2.780
2	0.050	0.042	0.142	2	1.270	1.070	3.610
3	0.060	0.056	0.176	3	1.520	1.420	4.460
4	0.070	0.070	0.210	4	1.780	1.780	5.340
5	0.070	0.101	0.241	5	1.780	2.570	6.130
6	0.070	0.114	0.254	6	1.780	2.900	6.460
7	0.070	0.145	0.285	7	1.780	3.680	7.240
8	0.070	0.176	0.316	8	1.780	4.470	8.030
9	0.070	0.208	0.348	9	1.780	5.280	8.840
10	0.070	0.239	0.379	10	1.780	6.070	9.630
11	0.070	0.301	0.441	11	1.780	7.650	11.210
12	0.070	0.364	0.504	12	1.780	9.250	12.810
13	0.070	0.426	0.566	13	1.780	10.820	14.380
14	0.070	0.489	0.629	14	1.780	12.420	15.980
15	0.070	0.551	0.691	15	1.780	14.000	17.560
16	0.070	0.614	0.754	16	1.780	15.600	19.160
17	0.070	0.676	0.816	17	1.780	17.170	20.730
18	0.070	0.739	0.879	18	1.780	18.770	22.330
19	0.070	0.801	0.941	19	1.780	20.350	23.910
20	0.070	0.864	1.004	20	1.780	21.950	25.510
21	0.070	0.926	1.066	21	1.780	23.520	27.080
22	0.070	0.989	1.129	22	1.780	25.120	28.680
23	0.070	1.051	1.191	23	1.780	26.700	30.260
24	0.070	1.114	1.254	24	1.780	28.300	31.860
25	0.070	1.176	1.316	25	1.780	29.870	33.430




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
26	0.070	1.239	1.379	26	1.780	31.470	35.030
27	0.070	1.301	1.441	27	1.780	33.050	36.610
28	0.070	1.364	1.504	28	1.780	34.650	38.210
29	0.070	1.489	1.629	29	1.780	37.820	41.380
30	0.070	1.614	1.754	30	1.780	41.000	44.560
31	0.070	1.739	1.879	31	1.780	44.170	47.730
32	0.070	1.864	2.004	32	1.780	47.350	50.910
33	0.070	1.989	2.129	33	1.780	50.520	54.080
34	0.070	2.114	2.254	34	1.780	53.700	57.260
35	0.070	2.239	2.379	35	1.780	56.870	60.430
36	0.070	2.364	2.504	36	1.780	60.050	63.610
37	0.070	2.489	2.629	37	1.780	63.220	66.780
38	0.070	2.614	2.754	38	1.780	66.400	69.960
39	0.070	2.739	2.879	39	1.780	69.570	73.130
40	0.070	2.864	3.004	40	1.780	72.750	76.310
41	0.070	2.989	3.129	41	1.780	75.920	79.480
42	0.070	3.239	3.379	42	1.780	82.270	85.830
43	0.070	3.489	3.629	43	1.780	88.620	92.180
44	0.070	3.739	3.879	44	1.780	94.970	98.530
45	0.070	3.989	4.129	45	1.780	101.320	104.880
46	0.070	4.239	4.379	46	1.780	107.670	111.230
47	0.070	4.489	4.629	47	1.780	114.020	117.580
48	0.070	4.739	4.879	48	1.780	120.370	123.930
49	0.070	4.989	5.129	49	1.780	126.720	130.280
50	0.070	5.239	5.379	50	1.780	133.070	136.630




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
51	0.103	0.049	0.255	51	2.620	1.240	6.480
52	0.103	0.081	0.287	52	2.620	2.060	7.300
53	0.103	0.112	0.318	53	2.620	2.840	8.080
54	0.103	0.143	0.349	54	2.620	3.630	8.870
55	0.103	0.174	0.380	55	2.620	4.420	9.660
56	0.103	0.206	0.412	56	2.620	5.230	10.470
57	0.103	0.237	0.443	57	2.620	6.020	11.260
58	0.103	0.299	0.505	58	2.620	7.590	12.830
59	0.103	0.362	0.568	59	2.620	9.190	14.430
60	0.103	0.424	0.630	60	2.620	10.770	16.010
61	0.103	0.487	0.693	61	2.620	12.370	17.610
62	0.103	0.549	0.755	62	2.620	13.940	19.180
63	0.103	0.612	0.818	63	2.620	15.540	20.780
64	0.103	0.674	0.880	64	2.620	17.120	22.360
65	0.103	0.737	0.943	65	2.620	18.720	23.960
66	0.103	0.799	1.005	66	2.620	20.300	25.540
67	0.103	0.862	1.068	67	2.620	21.890	27.130
68	0.103	0.924	1.130	68	2.620	23.470	28.710
69	0.103	0.987	1.193	69	2.620	25.070	30.310
70	0.103	1.049	1.255	70	2.620	26.640	31.880
71	0.103	1.112	1.318	71	2.620	28.240	33.480
72	0.103	1.174	1.380	72	2.620	29.820	35.060
73	0.103	1.237	1.443	73	2.620	31.420	36.660
74	0.103	1.299	1.505	74	2.620	32.990	38.230
75	0.103	1.362	1.568	75	2.620	34.590	39.830




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
76	0.103	1.424	1.630	76	2.620	36.170	41.410
77	0.103	1.487	1.693	77	2.620	37.770	43.010
78	0.103	1.549	1.755	78	2.620	39.340	44.580
79	0.103	1.612	1.818	79	2.620	40.940	46.180
80	0.103	1.674	1.880	80	2.620	42.520	47.760
81	0.103	1.737	1.943	81	2.620	44.120	49.360
82	0.103	1.799	2.005	82	2.620	45.690	50.930
83	0.103	1.862	2.068	83	2.620	47.300	52.540
84	0.103	1.925	2.131	84	2.620	48.900	54.140
85	0.103	1.987	2.193	85	2.620	50.470	55.710
86	0.103	2.050	2.256	86	2.620	52.070	57.310
87	0.103	2.112	2.318	87	2.620	53.640	58.880
88	0.103	2.175	2.381	88	2.620	55.250	60.490
89	0.103	2.237	2.443	89	2.620	56.820	62.060
90	0.103	2.300	2.506	90	2.620	58.420	63.660
91	0.103	2.362	2.568	91	2.620	59.990	65.230
92	0.103	2.425	2.631	92	2.620	61.600	66.840
93	0.103	2.487	2.693	93	2.620	63.170	68.410
94	0.103	2.550	2.756	94	2.620	64.770	70.010
95	0.103	2.612	2.818	95	2.620	66.340	71.580
96	0.103	2.675	2.881	96	2.620	67.950	73.190
97	0.103	2.737	2.943	97	2.620	69.520	74.760
98	0.103	2.800	3.006	98	2.620	71.120	76.360
99	0.103	2.862	3.068	99	2.620	72.690	77.930
100	0.103	2.987	3.193	100	2.620	75.870	81.110




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
101	0.103	3.237	3.443	101	2.620	82.220	87.460
102	0.103	3.487	3.693	102	2.620	88.570	93.810
103	0.103	3.737	3.943	103	2.620	94.920	100.160
104	0.103	3.987	4.193	104	2.620	101.270	106.510
105	0.103	4.237	4.443	105	2.620	107.620	112.860
106	0.103	4.487	4.693	106	2.620	113.970	119.210
107	0.103	4.737	4.943	107	2.620	120.320	125.560
108	0.103	4.987	5.193	108	2.620	126.670	131.910
109	0.103	5.237	5.443	109	2.620	133.020	138.260
110	0.103	5.487	5.693	110	2.620	139.370	144.610
111	0.103	5.737	5.943	111	2.620	145.720	150.960
112	0.103	5.987	6.193	112	2.620	152.070	157.310
113	0.103	6.237	6.443	113	2.620	158.420	163.660
114	0.103	6.487	6.693	114	2.620	164.770	170.010
115	0.103	6.737	6.943	115	2.620	171.120	176.360
116	0.103	6.987	7.193	116	2.620	177.470	182.710
117	0.103	7.237	7.443	117	2.620	183.820	189.060
118	0.103	7.487	7.693	118	2.620	190.170	195.410
119	0.103	7.737	7.943	119	2.620	196.520	201.760
120	0.103	7.987	8.193	120	2.620	202.870	208.110
121	0.103	8.237	8.443	121	2.620	209.220	214.460
122	0.103	8.487	8.693	122	2.620	215.570	220.810
123	0.103	8.737	8.943	123	2.620	221.920	227.160
124	0.103	8.987	9.193	124	2.620	228.270	233.510
125	0.103	9.237	9.443	125	2.620	234.620	239.860




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
126	0.103	9.487	9.693	126	2.620	240.970	246.210
127	0.103	9.737	9.943	127	2.620	247.320	252.560
128	0.139	0.171	0.449	128	3.530	4.340	11.400
129	0.139	0.234	0.512	129	3.530	5.940	13.000
130	0.139	0.296	0.574	130	3.530	7.520	14.580
131	0.139	0.359	0.637	131	3.530	9.120	16.180
132	0.139	0.421	0.699	132	3.530	10.690	17.750
133	0.139	0.484	0.762	133	3.530	12.290	19.350
134	0.139	0.546	0.824	134	3.530	13.870	20.930
135	0.139	0.609	0.887	135	3.530	15.470	22.530
136	0.139	0.671	0.949	136	3.530	17.040	24.100
137	0.139	0.734	1.012	137	3.530	18.640	25.700
138	0.139	0.796	1.074	138	3.530	20.220	27.280
139	0.139	0.859	1.137	139	3.530	21.820	28.880
140	0.139	0.921	1.199	140	3.530	23.390	30.450
141	0.139	0.984	1.262	141	3.530	25.000	32.060
142	0.139	1.046	1.324	142	3.530	26.570	33.630
143	0.139	1.109	1.387	143	3.530	28.170	35.230
144	0.139	1.171	1.449	144	3.530	29.740	36.800
145	0.139	1.234	1.512	145	3.530	31.340	38.400
146	0.139	1.296	1.574	146	3.530	32.920	39.980
147	0.139	1.359	1.637	147	3.530	34.520	41.580
148	0.139	1.421	1.699	148	3.530	36.090	43.150
149	0.139	1.484	1.762	149	3.530	37.690	44.750
150	0.139	1.609	1.887	150	3.530	40.870	47.930




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
151	0.139	1.734	2.012	151	3.530	44.040	51.100
152	0.139	1.859	2.137	152	3.530	47.220	54.280
153	0.139	1.984	2.262	153	3.530	50.390	57.450
154	0.139	2.109	2.387	154	3.530	53.570	60.630
155	0.139	2.234	2.512	155	3.530	56.740	63.800
156	0.139	2.359	2.637	156	3.530	59.920	66.980
157	0.139	2.484	2.762	157	3.530	63.090	70.150
158	0.139	2.609	2.887	158	3.530	66.270	73.330
159	0.139	2.734	3.012	159	3.530	69.440	76.500
160	0.139	2.859	3.137	160	3.530	72.620	79.680
161	0.139	2.984	3.262	161	3.530	75.790	82.850
162	0.139	3.109	3.387	162	3.530	78.970	86.030
163	0.139	3.234	3.512	163	3.530	82.140	89.200
164	0.139	3.359	3.637	164	3.530	85.320	92.380
165	0.139	3.484	3.762	165	3.530	88.490	95.550
166	0.139	3.609	3.887	166	3.530	91.670	98.730
167	0.139	3.734	4.012	167	3.530	94.840	101.900
168	0.139	3.859	4.137	168	3.530	98.020	105.080
169	0.139	3.984	4.262	169	3.530	101.190	108.250
170	0.139	4.109	4.387	170	3.530	104.370	111.430
171	0.139	4.234	4.512	171	3.530	107.540	114.600
172	0.139	4.359	4.637	172	3.530	110.720	117.780
173	0.139	4.484	4.762	173	3.530	113.890	120.950
174	0.139	4.609	4.887	174	3.530	117.070	124.130
175	0.139	4.734	5.012	175	3.530	120.240	127.300




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
176	0.139	4.859	5.137	176	3.530	123.420	130.480
177	0.139	4.984	5.262	177	3.530	126.590	133.650
178	0.139	5.109	5.387	178	3.530	129.770	136.830
179	0.139	5.234	5.512	179	3.530	132.940	140.000
180	0.139	5.359	5.637	180	3.530	136.120	143.180
181	0.139	5.484	5.762	181	3.530	139.290	146.350
182	0.139	5.609	5.887	182	3.530	142.470	149.530
183	0.139	5.734	6.012	183	3.530	145.650	152.710
184	0.139	5.859	6.137	184	3.530	148.820	155.880
185	0.139	5.984	6.262	185	3.530	151.990	159.050
186	0.139	6.234	6.512	186	3.530	158.340	165.400
187	0.139	6.484	6.762	187	3.530	164.690	171.750
188	0.139	6.734	7.012	188	3.530	171.040	178.100
189	0.139	6.984	7.262	189	3.530	177.390	184.450
190	0.139	7.234	7.512	190	3.530	183.740	190.800
191	0.139	7.484	7.762	191	3.530	190.090	197.150
192	0.139	7.734	8.012	192	3.530	196.440	203.500
193	0.139	7.984	8.262	193	3.530	202.790	209.850
194	0.139	8.234	8.512	194	3.530	209.140	216.200
195	0.139	8.484	8.762	195	3.530	215.490	222.550
196	0.139	8.734	9.012	196	3.530	221.840	228.900
197	0.139	8.984	9.262	197	3.530	228.190	235.250
198	0.139	9.234	9.512	198	3.530	234.540	241.600
199	0.139	9.484	9.762	199	3.530	240.890	247.950
200	0.139	9.734	10.012	200	3.530	247.240	254.300




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
201	0.139	9.984	10.262	201	3.530	253.590	260.650
202	0.139	10.484	10.762	202	3.530	266.290	273.350
203	0.139	10.984	11.262	203	3.530	278.990	286.050
204	0.139	11.484	11.762	204	3.530	291.690	298.750
205	0.139	11.984	12.262	205	3.530	304.390	311.450
206	0.139	12.984	13.262	206	3.530	329.790	336.850
207	0.139	13.984	14.262	207	3.530	355.190	362.250
208	0.139	14.984	15.262	208	3.530	380.590	387.650
209	0.139	15.955	16.233	209	3.530	405.260	412.320
210	0.139	16.955	17.233	210	3.530	430.660	437.720
211	0.139	17.955	18.233	211	3.530	456.060	463.120
212	0.210	0.412	0.832	212	5.330	10.460	21.120
213	0.210	0.475	0.895	213	5.330	12.070	22.730
214	0.210	0.537	0.957	214	5.330	13.640	24.300
215	0.210	0.600	1.020	215	5.330	15.240	25.900
216	0.210	0.662	1.082	216	5.330	16.810	27.470
217	0.210	0.725	1.145	217	5.330	18.420	29.080
218	0.210	0.787	1.207	218	5.330	19.990	30.650
219	0.210	0.850	1.270	219	5.330	21.590	32.250
220	0.210	0.912	1.332	220	5.330	23.160	33.820
221	0.210	0.975	1.395	221	5.330	24.770	35.430
222	0.210	1.037	1.457	222	5.330	26.340	37.000
223	0.210	1.100	1.520	223	5.330	27.940	38.600
224	0.210	1.162	1.582	224	5.330	29.510	40.170
225	0.210	1.225	1.645	225	5.330	31.120	41.780




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
226	0.210	1.287	1.707	226	5.330	32.690	43.350
227	0.210	1.350	1.770	227	5.330	34.290	44.950
228	0.210	1.475	1.895	228	5.330	37.470	48.130
229	0.210	1.600	2.020	229	5.330	40.640	51.300
230	0.210	1.725	2.145	230	5.330	43.820	54.480
231	0.210	1.850	2.270	231	5.330	46.990	57.650
232	0.210	1.975	2.395	232	5.330	50.170	60.830
233	0.210	2.100	2.520	233	5.330	53.340	64.000
234	0.210	2.225	2.645	234	5.330	56.520	67.180
235	0.210	2.350	2.770	235	5.330	59.690	70.350
236	0.210	2.475	2.895	236	5.330	62.870	73.530
237	0.210	2.600	3.020	237	5.330	66.040	76.700
238	0.210	2.725	3.145	238	5.330	69.220	79.880
239	0.210	2.850	3.270	239	5.330	72.390	83.050
240	0.210	2.975	3.395	240	5.330	75.570	86.230
241	0.210	3.100	3.520	241	5.330	78.740	89.400
242	0.210	3.225	3.645	242	5.330	81.920	92.580
243	0.210	3.350	3.770	243	5.330	85.090	95.750
244	0.210	3.475	3.895	244	5.330	88.270	98.930
245	0.210	3.600	4.020	245	5.330	91.440	102.100
246	0.210	3.725	4.145	246	5.330	94.620	105.280
247	0.210	3.850	4.270	247	5.330	97.790	108.450
248	0.210	3.975	4.395	248	5.330	100.970	111.630
249	0.210	4.100	4.520	249	5.330	104.140	114.800
250	0.210	4.225	4.645	250	5.330	107.320	117.980




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
251	0.210	4.350	4.770	251	5.330	110.490	121.150
252	0.210	4.475	4.895	252	5.330	113.670	124.330
253	0.210	4.600	5.020	253	5.330	116.840	127.500
254	0.210	4.725	5.145	254	5.330	120.020	130.680
255	0.210	4.850	5.270	255	5.330	123.190	133.850
256	0.210	4.975	5.395	256	5.330	126.370	137.030
257	0.210	5.100	5.520	257	5.330	129.540	140.200
258	0.210	5.225	5.645	258	5.330	132.720	143.380
259	0.210	5.350	5.770	259	5.330	135.890	146.550
260	0.210	5.475	5.895	260	5.330	139.070	149.730
261	0.210	5.600	6.020	261	5.330	142.240	152.900
262	0.210	5.725	6.145	262	5.330	145.420	156.080
263	0.210	5.850	6.270	263	5.330	148.590	159.250
264	0.210	5.975	6.395	264	5.330	151.770	162.430
265	0.210	6.225	6.645	265	5.330	158.120	168.780
266	0.210	6.475	6.895	266	5.330	164.470	175.130
267	0.210	6.725	7.145	267	5.330	170.820	181.480
268	0.210	6.975	7.395	268	5.330	177.170	187.830
269	0.210	7.225	7.645	269	5.330	183.520	194.180
270	0.210	7.475	7.895	270	5.330	189.870	200.530
271	0.210	7.725	8.145	271	5.330	196.220	206.880
272	0.210	7.975	8.395	272	5.330	202.570	213.230
273	0.210	8.225	8.645	273	5.330	208.920	219.580
274	0.210	8.475	8.895	274	5.330	215.270	225.930
275	0.210	8.725	9.145	275	5.330	221.620	232.280




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
276	0.210	8.975	9.395	276	5.330	227.970	238.630
277	0.210	9.225	9.645	277	5.330	234.320	244.980
278	0.210	9.475	9.895	278	5.330	240.670	251.330
279	0.210	9.725	10.145	279	5.330	247.020	257.680
280	0.210	9.975	10.395	280	5.330	253.370	264.030
281	0.210	10.475	10.895	281	5.330	266.070	276.730
282	0.210	10.975	11.395	282	5.330	278.770	289.430
283	0.210	11.475	11.895	283	5.330	291.470	302.130
284	0.210	11.975	12.395	284	5.330	304.170	314.830
285	0.210	12.975	13.395	285	5.330	329.570	340.230
286	0.210	13.975	14.395	286	5.330	354.970	365.630
287	0.210	14.975	15.395	287	5.330	380.370	391.030
288	0.210	15.955	16.375	288	5.330	405.260	415.920
289	0.210	16.955	17.375	289	5.330	430.660	441.320
290	0.210	17.955	18.375	290	5.330	456.060	466.720
291	0.210	18.955	19.375	291	5.330	481.410	492.070
292	0.210	19.955	20.375	292	5.330	506.810	517.470
293	0.210	20.955	21.375	293	5.330	532.210	542.870
294	0.210	21.955	22.375	294	5.330	557.610	568.270
295	0.210	22.940	23.360	295	5.330	582.680	593.340
296	0.210	23.940	24.360	296	5.330	608.080	618.740
297	0.210	24.940	25.360	297	5.330	633.480	644.140
298	0.210	25.940	26.360	298	5.330	658.880	669.540
299	0.275	1.350	1.900	299	6.990	34.290	48.260
300	0.275	1.475	2.025	300	6.990	37.470	51.440




Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
301	0.275	1.600	2.150	301	6.990	40.640	54.610
302	0.275	1.725	2.275	302	6.990	43.820	57.790
303	0.275	1.850	2.400	303	6.990	46.990	60.960
304	0.275	1.975	2.525	304	6.990	50.170	64.140
305	0.275	2.100	2.650	305	6.990	53.340	67.310
306	0.275	2.225	2.775	306	6.990	56.520	70.490
307	0.275	2.350	2.900	307	6.990	59.690	73.660
308	0.275	2.475	3.025	308	6.990	62.870	76.840
309	0.275	2.600	3.150	309	6.990	66.040	80.010
310	0.275	2.725	3.275	310	6.990	69.220	83.190
311	0.275	2.850	3.400	311	6.990	72.390	86.360
312	0.275	2.975	3.525	312	6.990	75.570	89.540
313	0.275	3.100	3.650	313	6.990	78.740	92.710
314	0.275	3.225	3.775	314	6.990	81.920	95.890
315	0.275	3.350	3.900	315	6.990	85.090	99.060
316	0.275	3.475	4.025	316	6.990	88.270	102.240
317	0.275	3.600	4.150	317	6.990	91.440	105.410
318	0.275	3.725	4.275	318	6.990	94.620	108.590
319	0.275	3.850	4.400	319	6.990	97.790	111.760
320	0.275	3.975	4.525	320	6.990	100.970	114.940
321	0.275	4.100	4.650	321	6.990	104.140	118.110
322	0.275	4.225	4.775	322	6.990	107.320	121.290
323	0.275	4.350	4.900	323	6.990	110.490	124.460
324	0.275	4.475	5.025	324	6.990	113.670	127.650
325	0.275	4.600	5.150	325	6.990	116.840	130.820



Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
326	0.275	4.725	5.275	326	6.990	120.020	134.000
327	0.275	4.850	5.400	327	6.990	123.190	137.170
328	0.275	4.975	5.525	328	6.990	126.370	140.350
329	0.275	5.100	5.650	329	6.990	129.540	143.520
330	0.275	5.225	5.775	330	6.990	132.720	146.700
331	0.275	5.350	5.900	331	6.990	135.890	149.870
332	0.275	5.475	6.025	332	6.990	139.070	153.050
333	0.275	5.600	6.150	333	6.990	142.240	156.220
334	0.275	5.725	6.275	334	6.990	145.420	159.400
335	0.275	5.850	6.400	335	6.990	148.590	162.570
336	0.275	5.975	6.525	336	6.990	151.770	165.750
337	0.275	6.225	6.775	337	6.990	158.120	172.100
338	0.275	6.475	7.025	338	6.990	164.470	178.450
339	0.275	6.725	7.275	339	6.990	170.820	184.800
340	0.275	6.975	7.525	340	6.990	177.170	191.150
341	0.275	7.225	7.775	341	6.990	183.520	197.500
342	0.275	7.475	8.025	342	6.990	189.870	203.850
343	0.275	7.725	8.275	343	6.990	196.220	210.200
344	0.275	7.975	8.525	344	6.990	202.570	216.550
345	0.275	8.475	9.025	345	6.990	215.270	229.250
346	0.275	8.975	9.525	346	6.990	227.970	241.950
347	0.275	9.475	10.025	347	6.990	240.670	254.650
348	0.275	9.975	10.525	348	6.990	253.370	267.350
349	0.275	10.475	11.025	349	6.990	266.070	280.050
350	0.275	10.975	11.525	350	6.990	278.770	292.750



Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
351	0.275	11.475	12.025	351	6.990	291.470	305.450
352	0.275	11.975	12.525	352	6.990	304.170	318.150
353	0.275	12.475	13.025	353	6.990	316.870	330.850
354	0.275	12.975	13.525	354	6.990	329.570	343.550
355	0.275	13.457	14.007	355	6.990	342.270	356.250
356	0.275	13.975	14.525	356	6.990	354.970	368.950
357	0.275	14.475	15.025	357	6.990	367.670	381.650
358	0.275	14.975	15.525	358	6.990	380.370	394.350
359	0.275	15.475	16.025	359	6.990	393.070	407.050
360	0.275	15.955	16.505	360	6.990	405.260	419.240
361	0.275	16.455	17.005	361	6.990	417.960	431.940
362	0.275	16.955	17.505	362	6.990	430.660	444.640
363	0.275	17.455	18.005	363	6.990	443.360	457.340
364	0.275	17.955	18.505	364	6.990	456.060	470.040
365	0.275	18.455	19.005	365	6.990	468.760	482.740
366	0.275	18.955	19.505	366	6.990	481.460	495.440
367	0.275	19.455	20.005	367	6.990	494.160	508.140
368	0.275	19.955	20.505	368	6.990	506.860	520.840
369	0.275	20.955	21.505	369	6.990	532.260	546.240
370	0.275	21.955	22.505	370	6.990	557.660	571.640
371	0.275	22.940	23.490	371	6.990	582.680	596.660
372	0.275	23.940	24.490	372	6.990	608.080	622.060
373	0.275	24.940	25.490	373	6.990	633.480	647.460
374	0.275	25.940	26.490	374	6.990	658.880	672.860
375	0.056	0.185	0.297	375	1.420	4.700	7.540



Size: AS568	C.S. Inch	I.D. Inch	O.D. Inch	Size: AS568	C.S. MM	I.D. MM	O.D. MM
376	0.064	0.239	0.367	376	1.630	6.070	9.330
377	0.064	0.301	0.429	377	1.630	7.650	10.910
378	0.072	0.351	0.495	378	1.830	8.920	12.580
379	0.072	0.414	0.558	379	1.830	10.520	14.180
380	0.078	0.468	0.624	380	1.980	11.890	15.850
381	0.082	0.530	0.694	381	2.080	13.460	17.620
382	0.087	0.644	0.818	382	2.210	16.360	20.780
383	0.097	0.706	0.900	383	2.460	17.930	22.850
384	0.097	0.755	0.949	384	2.460	19.180	24.100
385	0.116	0.863	1.095	385	2.950	21.920	27.820
386	0.116	0.924	1.156	386	2.950	23.470	29.370
387	0.116	0.986	1.218	387	2.950	25.040	30.940
388	0.116	1.047	1.279	388	2.950	26.590	32.490
389	0.116	1.171	1.403	389	2.950	29.740	35.640
390	0.116	1.355	1.587	390	2.950	34.420	40.320
391	0.116	1.475	1.707	391	3.000	37.470	43.470
392	0.116	1.720	1.952	392	3.000	43.690	49.690
393	0.116	2.090	2.322	393	3.000	53.090	59.090
394	0.116	2.337	2.569	394	3.000	59.360	65.360